

REFERENCES CHAPTER 10

- (1) Still GF. On a form of chronic joint disease in children. *Medico-Chirurgical Transactions*, London 1897;80:47–59. [Reprinted in: *Arch Dis Child* 1941;16:156].
- (2) Bywaters EG. Still's disease in the adult. *Ann Rheum Dis* 1971;30:121.
- (3) Efthimiou P, Paik PK, Bielory L. Diagnosis and management of adult onset Still's disease. *Ann Rheum Dis* 2006;65:564–72.
- (4) Magadur-Joly G, Billaud E, Barrier JH, et al. Epidemiology of adult Still's disease: estimate of the incidence by a retrospective study in west France. *Ann Rheum Dis* 1995;54:587.
- (5) Wouters JM, van de Putte LB. Adult-onset Still's disease; clinical and laboratory features, treatment and progress of 45 cases. *Q J Med* 1986;61:1055–65.
- (6) Wakai K, Ohta A, Tamakoshi A, et al. Estimated prevalence and incidence of adult Still's disease: findings by a nationwide epidemiological survey in Japan. *J Epidemiol* 1997;7:221–5.
- (7) Wouters JM, van Rijswijk MH, van de Putte LB. Adult onset Still's disease in the elderly: a report of two cases. *J Rheumatol* 1985;12:791–3.
- (8) Uson J, Pena JM, del Arco A, et al. Still's disease in a 72-year old man. *J Rheumatol* 1993;20:1608.
- (9) Pouchot J, Sampalis JS, Beaudet F, et al. Adult Still's disease: manifestations, disease course, and outcome in 62 patients. *Medicine (Baltimore)* 1991;70:118–36.
- (10) van de Putte LB, Wouters JM. Adult-onset Still's disease. *Ballieres Clin Rheumatol* 1991;5:263–75.
- (11) Chen DY, Lan JL, Lin FJ, et al. Predominance of Th1 cytokine in adult onset Still's disease. *Ann Rheum Dis* 2004;63:1300–6.
- (12) Hoshino T, Ohta A, Yang D, et al. Elevated serum interleukin 6, interferon-gamma, and tumor necrosis factor-alpha levels in patients with adult Still's disease. *J Rheumatol* 1998;25:396–8.
- (13) Kawashima M, Yamamura M, Tani ai M, et al. Levels of interleukin-18 and its binding inhibitors in the blood circulation of patients with adult-onset Still's disease. *Arthritis Rheum* 2001;44:550–60.
- (14) Sugiura T, Kawaguchi Y, Harigai M, et al. Association between adult-onset Still's disease and interleukin-18 gene polymorphisms. *Genes Immun* 2002;3:394–9.
- (15) Nguyen KH, Weisman MH. Severe sore throat as a presenting symptom of adult onset Still's disease: a case series and review of the literature. *J Rheumatol* 1997;24:592.
- (16) Dino O, Provenzano G, Giannouli G, et al. Fulminant hepatic failure in adult onset Still's disease. *J Rheumatol* 1996;23:784.
- (17) Quaini F, Manganelli P, Pileri S, et al. Immunohistological characterization of lymph nodes in two cases of adult onset Still's disease. *J Rheumatol* 1991;18:1418.
- (18) Cheema GS, Quismorio FP Jr. Pulmonary involvement in adult-onset Still's disease. *Curr Opin Pulm Med* 1999;5:305.
- (19) Drouot MH, Hachulla E, Flipo RM, et al. Cardiac complication of adult-onset Still's disease: from pericarditis to tamponade, sometimes a manifestation of the disease. *Rev Med Interne* 1993;14:1017.

- (20) Arlet JB, Le TH, Marinho A, et al. Reactive haemophagocytic syndrome in adult-onset Still's disease: a report of six patients and a review of the literature. *Ann Rheum Dis* 2006;65:1596.
- (21) Boki KA, Tsirantonaki MJ, Markakis K, et al. Thrombotic thrombocytopenic purpura in adult Still's disease. *J Rheumatol* 1996;23:385.
- (22) Ohta A, Yamaguchi M, Tsunematsu T, et al. Adult Still's disease: a multicenter survey of Japanese patients. *J Rheumatol* 1990;17:1058.
- (23) Akritidis N, Giannakakis I, Giouglis T. Ferritin levels and response to treatment in patients with Adult Still's disease (letter). *J Rheumatol* 1996;23:201.
- (24) Fautrel B. Ferritin levels in adult onset Still's disease: any sugar? *Joint Bone Spine* 2002;69:355–7.
- (25) Fautrel B, Le Moel G, Saint-Marcoux B, et al. Diagnostic value of ferritin and glycosylated ferritin in adult onset Still's disease. *J Rheumatol* 2001;28:322.
- (26) Yamaguchi M, Ohta A, Tsunematsu T, et al. Preliminary criteria for classification of adult Still's disease. *J Rheumatol* 1992;19:424–30.
- (27) Vignes S, Le Moel G, Fautrel B, et al. Percentage of glycosylated serum ferritin remains low throughout the course of adult onset Still's disease. *Ann Rheum Dis* 2000;59:347.
- (28) Bjorkengren AG, Pathria MN, Sartoris DJ, et al. Carpal alterations in adult-onset Still's disease, juvenile chronic arthritis and adult-onset RA, a comparative study. *Radiology* 1987;165:545.
- (29) Cabane J, Michon A, Ziza JM, et al. Comparison of long term evolution of adult onset and juvenile onset Still's disease, both followed up for more that 10 years. *Ann Rheum Dis* 1990;49:283.
- (30) Masson C, Le Loet X, Liote F, et al. Comparative study of six types of criteria in adult Still's disease. *J Rheumatol* 1996;23:495.
- (31) Cush JJ, Medsger TA Jr, Christy WC, et al. Adult-onset Still's disease: Clinical course and outcome. *Arthritis Rheum* 1987;30:186.
- (32) Calabro JJ, Londino AV Jr. Adult onset Still's disease. *J Rheumatol* 1986;13:827–8.
- (33) Fautrel B, Zing E, Golmard JL, et al. Proposal for a new set of classification criteria for adult-onset still disease. *Medicine (Baltimore)* 2002;81:194.
- (34) Klippel JH, Dieppe PA. Adult Still's disease. In: *Rheumatology*. London: Mosby, 1998:5.22.1.
- (35) Khraishi M, Fam AG. Treatment of fulminant adult Still's disease with intravenous pulse methylprednisolone therapy. *J Rheumatol* 1991;18:1088–90.
- (36) Marchesoni A, Ceravolo GP, Battafarano N, et al. Cyclosporin A in the treatment of adult onset Still's disease. *J Rheumatol* 1997;24:1582.
- (37) Jung JH, Jun JB, Yoo DH, et al. High toxicity of sulfasalazine in adult-onset Still's disease. *Clin Exp Rheumatol* 2000;18:245.
- (38) Fujii T, Akizuki M, Kameda H, et al. Methotrexate treatment in patients with adult onset Still's disease—retrospective study of 13 Japanese cases. *Ann Rheum Dis* 1997;56:144.
- (39) Fautrel B, Borget C, Rozenberg S, et al. Corticosteroid sparing effect of low dose methotrexate treatment in adult Still's disease. *J Rheumatol* 1999;26:373–8.

- (40) Vignes S, Wechsler B, Amoura Z, et al. Intravenous immunoglobulin in adult Still's disease refractory to non-steroidal anti-inflammatory drugs. *Clin Exp Rheumatol* 1998;16:295.
- (41) Kraetsch HG, Antoni C, Kalden JR, et al. Successful treatment of a small cohort of patients with adult onset of Still's disease with infliximab: first experiences. *Ann Rheum Dis* 2001;60(Suppl 3):iii55.
- (42) Kokkinos A, Iliopoulos A, Greka P, et al. Successful treatment of refractory adult-onset Still's disease with infliximab. A prospective, non-comparative series of four patients. *Clin Rheumatol* 2004;23:45.
- (43) Husni, ME, Maier AL, Mease PJ, et al. Etanercept in the treatment of adult patients with Still's disease. *Arthritis Rheum* 2002;46:1171.
- (44) Fautrel B, Sibilia J, Mariette X, et al. Tumour necrosis factor alpha blocking agents in refractory adult Still's disease: an observational study of 20 cases. *Ann Rheum Dis* 2005;64:262.
- (45) Fitzgerald AA, LeClercq SA, Yan A, et al. Rapid responses to anakinra in patients with refractory adult-onset Still's disease. *Arthritis Rheum* 2005;52:1794.
- (46) Iwamoto M, Nara H, Hirata D, et al. Humanized monoclonal anti-interleukin-6 receptor antibody for treatment of intractable adult-onset Still's disease. *Arthritis Rheum* 2002;46:3388–9.
- (47) Hunninghake GW, Costabel U, Ando M, et al. ATS/ERS/WASOG statement on sarcoidosis. *Am J Resp Crit Care Med* 1999;160:736–55.
- (48) Hosoda Y, Sasagawa S, Yasuda N. Epidemiology of sarcoidosis: new frontiers to explore. *Curr Opin Pulm Med* 2002;8:424–8.
- (49) Johns CJ, Michele TM. The clinical management of sarcoidosis. A 50-year experience at the Johns Hopkins Hospital. *Medicine* 1999;78:65–111.
- (50) Bascom RA, Johns CJ. The natural history and management of sarcoidosis. In: Stollerman GH, Harrington WJ, Lamont JT, et al, eds. *Advances in internal medicine*, volume 31. Chicago: Yearbook Medical Publishers, 1986:213–41.
- (51) Rybicki BA, Iannuzzi MC, Frederick MM, et al. Familial aggregation of sarcoidosis: a case-control etiologic study of sarcoidosis (ACCESS). *Am J Resp Crit Care Med* 2001;164:2085–91.
- (52) Thomas KW, Hunninghake GW. Sarcoidosis. *JAMA* 2003;289:3300.
- (53) Rybicki BA, Major M, Popovich J Jr, et al. Racial differences in sarcoidosis incidence: a 5-year study in a health maintenance organization. *Am J Epidemiol* 1997;145:234.
- (54) Baughman RP, Lower EE, du Bois RM. Sarcoidosis. *Lancet* 2003;361:1111.
- (55) Martinetti M, Tinelli C, Kolek V, et al. "The sarcoidosis map": a joint survey of clinical and immunogenetic findings in two European Countries. *Am J Respir Crit Care Med* 1995;152:557.
- (56) Newman LS, Rose CS, Maier LA. Sarcoidosis. *N Engl J Med* 1997;336:1224.
- (57) Awada H, Abi-Karam G, Fayad F. Musculoskeletal and other extrapulmonary disorders in sarcoidosis. *Best Pract Res Clin Rheum* 2003;17:971–87.
- (58) Soler P, Basset F. Morphology and distribution of the cells of a sarcoid granuloma: ultrastructural study of serial sections. *Ann N Y Acad Sci* 1976;278:147.
- (59) Thomas P, Hunninghake G. Current concepts of the pathogenesis of sarcoidosis. *Am Rev Respir Dis* 1987;135:747.

- (60) Mitchell DN, Scadding JG. Sarcoidosis. *Am Rev Respir Dis* 1974;110:774.
- (61) Agostini C, Adami F, Semenzato G. New pathogenic insights into sarcoid granuloma. *Curr Opin Rheumatol* 2000;12:71.
- (62) Hunninghake GW, Garrett KC, Richerson HB, et al. Pathogenesis of the granulomatous lung diseases. *Am Rev Respir Dis* 1984;130:476.
- (63) Johnson LA, Edsall JR, Austin JH, et al. Pulmonary sarcoidosis: could mycoplasma-like organisms be a cause? *Sarcoidosis Vasc Diffuse Lung Dis* 1996;13:38.
- (64) Bocart D, Lecossier D, De Lassence A, et al. A search for the mycobacterial DNA in granulomatous tissues from patients with sarcoidosis using the polymerase chain reaction. *Am Rev Respir Dis* 1992;145:1142.
- (65) Siltzbach LE. The Kveim test in sarcoidosis. A study of 750 patients. *JAMA* 1961;178:476.
- (66) Burke WM, Keogh A, Maloney PJ, et al. Transmission of sarcoidosis via cardiac transplantation. *Lancet* 1990;336:1579.
- (67) Heyll A, Meckenstock G, Aul C, et al. Possible transmission of sarcoidosis via allogeneic bone marrow transplantation. *Bone Marrow Transplant* 1994;14:161.
- (68) Bhagat R, Rizzieri DA, Vredenburgh JJ, et al. Pulmonary sarcoidosis following stem cell transplantation: is it more than a chance occurrence? *Chest* 2004;126:642.
- (69) Mangiapan G, Hance AJ. Mycobacteria and sarcoidosis: an overview and summary of recent molecular biological data. *Sarcoidosis* 1995;12:20.
- (70) Mitchell IC, Turk JL, Mitchell, DN. Detection of mycobacterial mRNA in sarcoidosis with liquid-phase hybridisation. *Lancet* 1992;339:1015.
- (71) Saboor SA, Johnson NM, McFadden J. Detection of mycobacterial DNA in sarcoidosis and tuberculosis with polymerase chain reaction. *Lancet* 1992;339:1012.
- (72) Wilsher ML, Menzies RE, Croxson MC. Mycobacterium tuberculosis DNA in tissues affected by sarcoidosis. *Thorax* 1998;53:871.
- (73) Ishige I, Usui Y, Takemura T, et al. Quantitative PCR of mycobacterial and propionibacterial DNA in lymph nodes of Japanese patients with sarcoidosis. *Lancet* 1999;354:120.
- (74) Almenoff PL, Johnson A, Lesser M, et al. Growth of acid-fast L forms from the blood of patients with sarcoidosis. *Thorax* 1996;51:530.
- (75) Brown ST, Brett I, Almenoff PL, et al. Recovery of cell wall-deficient organisms from blood does not distinguish between patients with sarcoidosis and control subjects. *Chest* 2003;123:413.
- (76) Di Alberti L, Piattelli A, Artese L, et al. Human herpesvirus 8 variants in sarcoid tissues. *Lancet* 1997;350:1655.
- (77) Belec L, Mohamed AS, Lechapt-Zalcman E, et al. Lack of HHV-8 DNA sequences in sarcoid tissues of French patients [letter]. *Chest* 1998;114:948.
- (78) Rybicki BA, Maliarik MJ, Poisson LM, et al. The major histocompatibility complex gene region and sarcoidosis susceptibility in African Americans. *Am J Respir Crit Care Med* 2003;167:444.
- (79) Martinetti M, Tinelli C, Kolek V, et al. "The sarcoidosis map": a joint survey of clinical and immunogenetic findings in two European countries. *Am J Respir Crit Care Med* 1995;152:557.

- (80) Maliarik MJ, Rybicki BA, Malvitz E, et al. Angiotensin-converting enzyme gene polymorphism and risk of sarcoidosis. *Am J Respir Crit Care Med* 1998;158:1566.
- (81) Pietinalho A, Furuya K, Yamaguchi E, et al. The angiotensin-converting enzyme DD gene is associated with poor prognosis in Finnish sarcoidosis patients. *Eur Respir J* 1999;13:723.
- (82) Semenzato G, Pezzutto A, Chilosi M, et al. Redistribution of T lymphocytes in the lymph nodes of patients with sarcoidosis [letter]. *N Engl J Med* 1982;306:48.
- (83) Forrester JM, Wang Y, Ricalton N, et al. T cell receptor expression of activated T cell clones in the lungs of patients with pulmonary sarcoidosis. *J Immunol* 1994;153:4291.
- (84) Girgis RE, Basha MA, Maliarik M, et al. Cytokines in the bronchoalveolar lavage fluid of patients with active pulmonary sarcoidosis. *Am J Respir Crit Care Med* 1995;152:71.
- (85) Roth C, Huchon GJ, Arnou A, et al. Bronchoalveolar cells in advanced pulmonary sarcoidosis. *Am Rev Respir Dis* 1981;124:9.
- (86) Agostini C, Trentin L, Facco M, et al. Role of IL-15, IL-2, and their receptors in the development of T cell alveolitis in pulmonary sarcoidosis. *J Immunol* 1996;157:910.
- (87) Greene CM, Meachery G, Taggart CC, et al. Role of IL-18 in CD4+ T lymphocyte activation in sarcoidosis. *J Immunol* 2000;165:4718.
- (88) Shigehara K, Shijubo N, Ohmichi M, et al. IL-12 and IL-18 are increased and stimulate IFN-gamma production in sarcoid lungs. *J Immunol* 2001;166:642.
- (89) Abril A, Cohen MD. Rheumatologic manifestations of sarcoidosis. *Curr Opin Rheumatol* 2003;16:51–5.
- (90) Fouty BW, Pomeranz M, Thigpen TP, et al. Dilatation of bronchial stenoses due to sarcoidosis using a flexible fiberoptic bronchoscope. *Chest* 1994;106:677.
- (91) Baughman RP, Teirstein AS, Judson MA, et al. Clinical characteristics of patients in a case control study of sarcoidosis. *Am J Respir Crit Care Med* 2001;164:1885.
- (92) Visser H, Vos K, Zanelli E, et al. Sarcoid arthritis: clinical characteristics, diagnostic aspects, and risk factors. *Ann Rheum Dis* 2002;61:499.
- (93) Pennec Y, Youinou P, Le Goff P, et al. Comparison of the manifestations of acute sarcoid arthritis with and without erythema nodosum. Immunopathogenic significance. *Scand J Rheumatol* 1982;11:13.
- (94) Kremer JM. Histological findings in siblings with acute sarcoid arthritis: association with B8, DR3 phenotype. *J Rheumatol* 1986;13:593.
- (95) Mana J, Gomez-Vaquero C, Montero A, et al. Lofgren's syndrome revisited: a study of 186 patients. *Am J Med* 1999;107:240.
- (96) Sukenik S, Hendler N, Yerushalmi B, et al. Jaccoud's-type arthropathy: an association with sarcoidosis. *J Rheumatol* 1991;18:915.
- (97) Rothschild BM, Pingitore C, Eaton M. Dactylitis: implications for clinical practice. *Semin Arthritis Rheum* 1998;28:41.
- (98) Sequeira W, Stinar D. Serum angiotensin-converting enzyme in sarcoid arthritis. *Arch Intern Med* 1986;146:125.
- (99) Kellner H, Spathling S, Herzer P. Ultrasound findings in Lofgren's syndrome: is ankle swelling caused by arthritis, tenosynovitis or peri-arthritis? *J Rheumatol* 1992;19:38.
- (100) Larsen TK. Tenosynovitis as initial diagnosis of sarcoidosis. Case report. *Scand J Plast Reconstr Surg Hand Surg* 1996;30:1157.

- (101) Baydur A, Pandya K, Sharma OP, et al. Control of ventilation, respiratory muscle strength, and granulomatous involvement of skeletal muscle in patients with sarcoidosis. *Chest* 1993;103:396.
- (102) Fayad F, Liote F, Berenbaum F, et al. Muscle involvement in sarcoidosis: a retrospective and followup studies. *J Rheumatol* 2006;33:98.
- (103) Mathur A, Kremer JM. Immunopathology, musculoskeletal features and treatment of sarcoidosis. *Curr Opin Rheumatol* 1993;5:90.
- (104) Kurashima K, Shimizu H, Ogawa H, et al. MR and CT in the evaluation of sarcoid myopathy. *J Comput Assist Tomogr* 1991;15:1004.
- (105) Prayson RA. Granulomatous myositis: Clinicopathologic study of 12 cases. *Am J Clin Pathol* 1999;112:63.
- (106) Simmonds MJ, Hoffbrand BI. Contracturing granulomatous myositis: a separate entity. *J Neurol Neurosurg Psychiatry* 1990;53:998.
- (107) James DG, Neville E, Carstairs LS. Bone and joint sarcoidosis. *Semin Arthritis Rheum* 1976;6:53.
- (108) Fallon MD, Perry HM, Teitlebaum SM. Skeletal sarcoidosis with osteopenia. *Metab Bone Dis* 1981;3:171.
- (109) Reichel H, Koeffler HP, Norman AW. The role of vitamin D endocrine system in health and disease. *N Engl J Med* 1989;320:980.
- (110) Kwong T, Valderrama E, Paley C, et al. Systemic necrotizing vasculitis associated with childhood sarcoidosis. *Semin Arthritis Rheum* 1994;23:388.
- (111) Roberts SD, Mirowski GW, Wilkes D, et al. Sarcoidosis. Part II: extrapulmonary and systemic manifestations. *J Am Acad Dermatol* 2004;51:628.
- (112) Sharma A, Kadakia J, Sharma O. Gastrointestinal sarcoidosis. *Semin Respir Med* 1992;6:442.
- (113) Haas GP, Badalament R, Wonnell DM, et al. Testicular sarcoidosis: case report and review of the literature. *J Urol* 1986;135:1254.
- (114) Selroos O. Sarcoidosis and pregnancy: a review with results of a retrospective survey. *J Intern Med* 1990;227:221.
- (115) Dunn TL, Watters LC, Hendrix C, et al. Gas exchange at a given degree of volume restriction is different in sarcoidosis and idiopathic pulmonary fibrosis. *Am J Med* 1988;85:221.
- (116) Winterbauer RH, Lammert J, Selland M, et al. Bronchoalveolar lavage cell populations in the diagnosis of sarcoidosis. *Chest* 1993;104:352.
- (117) American Thoracic Society, European Respiratory Society, World Association of Sarcoidosis and Other Granulomatous Disorders. Statement on sarcoidosis. Joint Statement of the American Thoracic Society (ATS), the European Respiratory Society (ERS) and the World Association of Sarcoidosis and Other Granulomatous Disorders (WASOG) adopted by the ATS Board of Directors and by the ERS Executive Committee, February 1999. *Am J Respir Crit Care Med* 1999;160:736.
- (118) Burns TM. Neurosarcoidosis. *Arch Neurol* 2003;60:1166.
- (119) Talmadge EK Jr. Treatment of pulmonary sarcoidosis with glucocorticoids. 2007 UpToDate. www.uptodate.com
- (120) Janssen M, Dijkmans BA, Euldernk F. Muscle cramps in the calf as presenting symptom of sarcoidosis. *Ann Rheum Dis* 1991;50:51.

- (121) Rizzato G, Fraioli P. Natural and corticosteroid-induced osteoporosis in sarcoidosis: prevention, treatment, follow up and reversibility. *Sarcoidosis* 1990;7:89.
- (122) Baughman RP, Lower EE. A clinical approach to the use of methotrexate for sarcoidosis. *Thorax* 1999;54:742–6.
- (123) Baltzan M, Mehta S, Kirkham TH, et al. Randomized trial of prolonged chloroquine therapy in advanced pulmonary sarcoidosis. *Am J Respir Crit Care Med* 1999;160:192.
- (124) Sharma O, Hughes DTD, James DG, et al. Immunosuppressive therapy with azathioprine in sarcoidosis. In: Levinsky L, Macholova F, eds. *Fifth International Conference on Sarcoidosis and Other Granulomatous Disorders*. Universita Karlova, Prague, 1971:635.
- (125) Demeter SL. Myocardial sarcoidosis unresponsive to steroids. Treatment with cyclophosphamide. *Chest* 1988;94:202.
- (126) Kataria Y. Chlorambucil in sarcoidosis. *Chest* 1980;78:36.
- (127) Martinet Y, Pinkston P, Saltini C, et al. Evaluation of the in vitro and in vivo effects of cyclosporine on the lung T-lymphocyte alveolitis of active pulmonary sarcoidosis. *Am Rev Respir Dis* 1988;138:1242.
- (128) Wyser CP, van Schalkwyk E, Alheit B, et al. Treatment of progressive pulmonary sarcoidosis with cyclosporin A. *Am J Respir Crit Care Med* 1997;156:1371.
- (129) Moller DR. Treatment of sarcoidosis – from a basic science point of view. *J Int Med* 2003;254:31–40.
- (130) Utz JP, Limper AH, Kalra S, et al. Etanercept for the treatment of stage II and III progressive pulmonary sarcoidosis. *Chest* 2003;124:177.
- (131) Baughman RP, Lower EE, Bradley DA, et al. Etanercept for refractory ocular sarcoidosis: results of a double-blind randomized trial. *Chest* 2005;128:1062.
- (132) Baughman RP, Drent M, Kavuru M, et al. Infliximab therapy in patients with chronic sarcoidosis and pulmonary involvement. *Am J Respir Crit Care Med* 2006;174:795.
- (133) Khanna D, Liebling MR, Louie JS. Etanercept ameliorates sarcoidosis arthritis and skin disease. *J Rheumatol* 2003;30:1864.
- (134) Kudrin A, Chilvers ER, Ginawi A, et al. Sarcoid-like granulomatous disease following etanercept treatment for RA. *J Rheumatol* 2007;34:648–9.